

WB1 Series Analytical Electronic Balance



Features:

- Economical and reliable.
- Large stainless-steel pan.
- Leveling feet with level bubble.
- Below balance weighing.
- AC-DC available.
- LCD display with backlight.
- Multiple weighing units.
- Double TARE key.



Product Feature:

Features	Benefits
Economical and reliable	Helps you save money with confidence
Large stainless-steel pan	Allows for easy weighing of large objects
Leveling feet with level bubble	Makes it level even on uneven working surfaces
Below balance weighing	Determines density of large pieces
AC-DC available	Able to operate with rechargeable battery (not included)
LCD display with backlight	Allows for easy reading
Multiple weighing units	Allows for flexibility of weighing
Double TARE key	Easy for work to operate

WB1 Series Product Specifications:

Model	CPB 1002	CPB 2002	CPB 3002	CPC 2002	CPC 3002	CPC 5002	CPD 6001	CPD 10001
Draft Shield	With Plastic Draft Shield			No Draft Shield				
Capacity	1000g	2000g	3000g	2000g	3000g	5000g	6000g	10kg
Resolution	0.01 g						0.1 g	
Repeatability	± 0.01 g						± 0.1 g	
Linearity Error	± 0.02 g						± 0.1 g	
Response Time	≤ 2 sec							
Calibration	Calibration with External Weight							
Weighing Units	g, ct, lb, oz, ozt, dwt, kg, tmR, GSM, PKT etc(17 units)							
Construction	Cast aluminum, static resistant ABS, stainless steel pan							
Display	Large, easy to read LCD display with backlight							
Pan Size	Square Pan (157 x 136mm)					Square Pan (192 x 171mm)		
Body dim.	304x 204 x 300 mm					304x 204 x 90 mm		
Battery	Rechargeable battery							
Power	110v - 240v, 50HZ / 60HZ							
Operational Temp.	10 °C to 40 °C							
Connectivity	Configurable RS 232 interface							

